




V-L Van de Lande

**PE COMPRESSION
FITTINGS**

PE COMPRESSION

PE TEE

PE T-Stuk
PE T-Stück
Te PE
PE ti
Te en PE





* = Kiwa certified acc. to
BRL-K17105



ART.CODE	d	Z	B	PN	QUANTITY
7.10.016*	16	10	42	16	100
7.10.020*	20	12	47	16	100
7.10.025*	25	14	51	16	100
7.10.032*	32	18	57	16	50
7.10.040*	40	21	62	16	50
7.10.050*	50	36	92	16	8
7.10.063*	63	40	104	16	7
7.10.075*	75	38	124	10	4

PE TEE

PE T-Stuk
PE T-Stück
Te PE
PE ti
Te en PE




* = Kiwa certified acc. to
BRL-K17105




ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
7.12.016*	16	3/8" (M)	10	34	42	13	16	100
7.12.017*	16	1/2" (M)	10	34	42	17	16	100
7.12.020*	20	1/2" (M)	12	34	47	17	16	100
7.12.021*	20	3/4" (M)	12	34	47	18	16	100
7.12.024*	25	1/2" (M)	14	37	51	16	16	75
7.12.025*	25	3/4" (M)	14	38	51	18	16	75
7.12.026*	25	1" (M)	14	38	51	21	16	75
7.12.032*	32	1" (M)	18	44	57	21	16	50
7.12.033*	32	1 1/4" (M)	18	44	57	23	16	50
7.12.040*	40	1 1/4" (M)	21	48	62	23	16	40
7.12.041*	40	1 1/2" (M)	21	49	62	23	16	40
7.12.051*	50	2" (M)	28	50	95	30	16	10
7.12.062*	63	1 1/2" (M)	40	60	102	24	16	6
7.12.063*	63	2" (M)	40	60	102	29	16	6
7.12.074*	75	2" (M)	40	72	122	29	10	4
7.12.075*	75	2 1/2" (M)	40	72	122	31	10	4
7.12.076*	75	3" (M)	40	72	122	32	10	4

PE TEE

PE T-Stuk
PE T-Stück
Te PE
PE ti
Te en PE




ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
7.14.016	16	3/8" (F)	10	23	42	11	10	100
7.14.017	16	1/2" (F)	10	24	42	13	10	100
7.14.020	20	1/2" (F)	12	28	47	16	10	100
7.14.021	20	3/4" (F)	12	30	47	17	10	100
7.14.024	25	1/2" (F)	14	30	51	16	10	75
7.14.025	25	3/4" (F)	14	30	51	17	10	75
7.14.026	25	1" (F)	14	32	51	21	10	75
7.14.032	32	1" (F)	18	34	57	21	10	50
7.14.033	32	1 1/4" (F)	18	37	57	23	10	50
7.14.040	40	1 1/4" (F)	21	35	62	23	10	40




PE TEE

PE T-Stuk
PE T-Stück
Te PE
PE ti
Te en PE



ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
7.15.016*	16	3/8" (F)	10	24	42	11	16	100
7.15.017*	16	1/2" (F)	10	25	42	13	16	100
7.15.020*	20	1/2" (F)	12	28	47	16	16	100
7.15.021*	20	3/4" (F)	12	31	47	17	16	100
7.15.024*	25	1/2" (F)	14	31	51	16	16	75
7.15.025*	25	3/4" (F)	14	31	51	17	16	75
7.15.026*	25	1" (F)	14	33	51	21	16	75
7.15.032*	32	1" (F)	18	40	57	21	16	50
7.15.033*	32	1 1/4" (F)	18	37	57	23	16	50
7.15.040*	40	1 1/4" (F)	21	36	62	23	16	40
7.15.041*	40	1 1/2" (F)	21	44	62	23	16	40
7.14.050*	50	1 1/2" (F)	36	58	92	24	16	10
7.14.051*	50	2" (F)	36	58	92	28	16	10
7.14.062*	63	1 1/2" (F)	40	60	101	26	16	6
7.14.063*	63	2" (F)	41	59	101	28	16	6
7.14.074*	75	2" (F)	38	70	124	31	10	4
7.14.075*	75	2 1/2" (F)	38	71	124	31	10	4
7.14.076*	75	3" (F)	38	76	124	34	10	4




* = Kiwa certified acc. to
BRL -K17105

kiwa

PE COMPRESSION

PE TEE

PE T-Stuk
PE T-Stück
Te PE
PE ti
Te en PE




* = Kiwa certified acc. to BRL-K17105



ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
7.16.020*	20	16	11	11	47	42	16	50
7.16.024*	25	16	14	14	51	42	16	50
7.16.025*	25	20	14	14	51	47	16	50
7.16.032*	32	25	18	22	57	48	16	50
7.16.040*	40	32	23	25	62	57	16	25
7.16.050*	50	40	36	39	92	72	16	8
7.16.063*	63	50	40	36	100	98	16	5
7.16.075*	75	63	38	40	122	106	10	4

PE ELBOW

PE knie
PE Winkel
Coude PE
PE curva
Codo en PE



* = Kiwa certified acc. to BRL-K17105




ART.CODE	d	Z	B	PN	QUANTITY
7.20.016*	16	10	42	16	100
7.20.020*	20	12	47	16	100
7.20.025*	25	14	51	16	100
7.20.032*	32	18	57	16	50
7.20.040*	40	21	62	16	50
7.20.050*	50	37	90	16	12
7.20.063*	63	50	105	16	8
7.20.075*	75	38	124	10	6


PE COMPRESSION

PE ELBOW


PE knie
PE Winkel
Coude PE
PE curva
Codo en PE




ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
7.22.016*	16	3/8" (M)	10	37	42	11	16	150
7.22.017*	16	1/2" (M)	10	32	42	17	16	150
7.22.020*	20	1/2" (M)	11	34	47	17	16	150
7.22.021*	20	3/4" (M)	11	33	47	19	16	150
7.22.024*	25	1/2" (M)	14	37	51	16	16	100
7.22.025*	25	3/4" (M)	14	37	51	18	16	100
7.22.026*	25	1" (M)	14	37	51	21	16	100
7.22.032*	32	1" (M)	18	42	57	21	16	50
7.22.033*	32	1 1/4" (M)	18	42	57	23	16	50
7.22.040*	40	1 1/4" (M)	21	47	62	23	16	50
7.22.041*	40	1 1/2" (M)	21	47	62	23	16	50
7.22.050*	50	1 1/2" (M)	29	59	92	25	16	18
7.22.051*	50	2" (M)	35	59	92	27	16	18
7.22.063*	63	2" (M)	46	76	105	30	16	10
7.22.074*	75	2" (M)	38	77	123	26	10	6
7.22.075*	75	2 1/2" (M)	38	77	123	33	10	6
7.22.076*	75	3" (M)	38	77	123	32	10	6



* = Kiwa certified acc. to
BRL -K17105



ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
7.24.016	16	3/8" (F)	10	30	42	17	10	150
7.24.017	16	1/2" (F)	10	21	42	17	10	150
7.24.020	20	1/2" (F)	12	31	47	16	10	150
7.24.021	20	3/4" (F)	12	31	47	17	10	150
7.24.024	25	1/2" (F)	14	31	51	16	10	100
7.24.025	25	3/4" (F)	14	31	51	17	10	100
7.24.026	25	1" (F)	14	32	51	21	10	100
7.24.032	32	1" (F)	17	35	58	21	10	50
7.24.033	32	1 1/4" (F)	17	36	58	23	10	50
7.24.040	40	1 1/4" (F)	21	35	62	23	10	50
7.24.041	40	1 1/2" (F)	21	43	62	23	10	50





PE ELBOW

PE knie
PE Winkel
Coude PE
PE curva
Codo en PE

PE COMPRESSION

PE ELBOW

PE knie
PE Winkel
Coude PE
PE curva
Codo en PE



POM


* = Kiwa certified acc. to
BRL-K17105



ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
7.25.016*	16	3/8" (F)	12	25	42	11	16	150
7.25.017*	16	1/2" (F)	10	23	42	16	16	150
7.25.020*	20	1/2" (F)	11	29	47	16	16	150
7.25.021*	20	3/4" (F)	11	29	47	17	16	150
7.25.024*	25	1/2" (F)	14	31	51	17	16	100
7.25.025*	25	3/4" (F)	14	36	51	17	16	100
7.25.026*	25	1" (F)	14	36	51	21	16	100
7.25.032*	32	1" (F)	18	40	57	21	16	50
7.25.033*	32	1 1/4" (F)	18	40	57	23	16	50
7.25.040*	40	1 1/4" (F)	21	45	62	23	16	50
7.25.041*	40	1 1/2" (F)	21	45	62	25	16	50
7.24.049*	50	1 1/4" (F)	36	55	98	31	16	18
7.24.050*	50	1 1/2" (F)	36	60	98	26	16	18
7.24.051*	50	2" (F)	36	60	98	26	16	18
7.24.062*	63	1 1/2" (F)	45	80	110	26	16	10
7.24.063*	63	2" (F)	45	75	110	31	16	10
7.24.074*	75	2" (F)	38	75	124	34	10	6
7.24.075*	75	2 1/2" (F)	38	75	124	31	10	6
7.24.076*	75	3" (F)	38	78	124	34	10	6

PE COUPLING

PE koppeling
PE Kupplung
Union PE
PE bocchettone
Enlace en PE



* = Kiwa certified acc. to
BRL-K17105




ART.CODE	d1	Z	B	S	PN	QUANTITY
7.30.016*	16	3	42	24	16	175
7.30.020*	20	3	47	27	16	175
7.30.025*	25	3	51	33	16	175
7.30.032*	32	4	57	42	16	100
7.30.040*	40	4	62	51	16	50
7.30.050*	50	8	89	-	16	20
7.30.063*	63	10	105	-	16	11
7.30.075*	75	5	122	-	16	8
7.30.090	90	6	173	-	10	2
7.30.110	110	7	204	-	10	2


PE COMPRESSION

PE COUPLING

PE koppeling
PE Kupplung
Union PE
PE bocchettone
Enlace en PE



ART.CODE	d1	d2	Z	B	C	S	PN	QUANTITY
7.32.016*	16	3/8" (M)	4	42	12	24	16	200
7.32.017*	16	1/2" (M)	4	42	17	24	16	200
7.32.020*	20	1/2" (M)	4	47	16	27	16	200
7.32.021*	20	3/4" (M)	4	47	18	27	16	200
7.32.025*	25	1/2" (M)	4	51	16	33	16	200
7.32.026*	25	3/4" (M)	4	51	17	33	16	200
7.32.027*	25	1" (M)	4	51	21	33	16	200
7.32.031*	32	1/2" (M)	5	57	16	42	16	200
7.32.032*	32	3/4" (M)	5	57	17	42	16	200
7.32.033*	32	1" (M)	5	57	21	42	16	175
7.32.034*	32	1 1/4" (M)	5	57	23	42	16	175
7.32.040*	40	1" (M)	6	62	21	51	16	100
7.32.041*	40	1 1/4" (M)	6	62	23	51	16	100
7.32.042*	40	1 1/2" (M)	6	62	23	51	16	100
7.32.050*	50	1 1/2" (M)	12	92	26	-	10	24
7.32.051*	50	2" (M)	12	92	26	-	16	24
7.32.062*	63	1 1/2" (M)	11	110	24	-	16	18
7.32.063*	63	2" (M)	11	110	25	-	16	18
7.32.074*	75	2" (M)	8	124	32	-	10	12
7.32.075*	75	2 1/2" (M)	8	124	34	-	10	12
7.32.076*	75	3" (M)	8	124	34	-	10	13
7.32.090	90	2" (M)	13	180	34	-	10	5
7.32.091	90	3" (M)	13	180	37	-	10	5
7.32.109	110	3" (M)	30	220	32	-	10	2
7.32.110	110	4" (M)	30	220	40	-	10	2





* = Kiwa certified acc. to
BRL -K17105



PE COMPRESSION

PE COUPLING

PE koppeling
 PE Kupplung
 Union PE
 PE bocchettone
 Enlace en PE




ART.CODE	d1	d2	Z	B	C	S	PN	QUANTITY
7.34.016	16	3/8" (F)	3	42	13	24	10	200
7.34.017	16	1/2" (F)	4	42	17	24	10	200
7.34.020	20	3/8" (F)	4	47	13	27	10	200
7.34.021	20	1/2" (F)	3	47	17	27	10	200
7.34.022	20	3/4" (F)	6	47	18	27	10	200
7.34.025	25	1/2" (F)	4	51	16	33	10	200
7.34.026	25	3/4" (F)	3	51	18	33	10	200
7.34.027	25	1" (F)	8	51	21	33	10	175
7.34.031	32	1/2" (F)	4	57	17	42	10	175
7.34.032	32	3/4" (F)	4	57	18	42	10	175
7.34.033	32	1" (F)	4	57	21	42	10	175
7.34.034	32	1 1/4" (F)	10	57	23	42	10	100
7.34.040	40	1" (F)	5	61	21	51	10	75
7.34.041	40	1 1/4" (F)	5	61	23	51	10	75
7.34.042	40	1 1/2" (F)	11	61	23	51	10	100


PE COMPRESSION

PE COUPLING

PE koppeling
PE Kupplung
Union PE
PE bocchettone
Enlace en PE



ART.CODE	d1	d2	Z	B	C	S	PN	QUANTITY
7.35.016*	16	3/8" (F)	3	42	13	24	16	200
7.35.017*	16	1/2" (F)	4	42	17	24	16	200
7.35.020*	20	3/8" (F)	4	47	13	27	16	200
7.35.021*	20	1/2" (F)	3	47	17	27	16	200
7.35.022*	20	3/4" (F)	6	47	18	27	16	200
7.35.025*	25	1/2" (F)	4	51	16	33	16	200
7.35.026*	25	3/4" (F)	3	51	18	33	16	200
7.35.027*	25	1" (F)	8	51	21	33	16	175
7.35.031*	32	1/2" (F)	4	57	17	42	16	175
7.35.032*	32	3/4" (F)	4	57	18	42	16	175
7.35.033*	32	1" (F)	4	57	21	42	16	175
7.35.034*	32	1 1/4" (F)	10	57	23	42	16	100
7.35.040*	40	1" (F)	5	61	21	51	16	75
7.35.041*	40	1 1/4" (F)	5	61	23	51	16	75
7.35.042*	40	1 1/2" (F)	11	61	23	51	16	100
7.34.050*	50	1 1/2" (F)	13	90	26	-	16	24
7.34.051*	50	2" (F)	18	90	27	-	16	24
7.34.063*	63	2" (F)	5	108	31	-	16	18
7.34.074*	75	2" (F)	9	124	26	-	10	13
7.34.075*	75	2 1/2" (F)	9	124	32	-	10	13
7.34.090	90	2" (F)	17	180	30	-	10	5
7.34.091	90	3" (F)	12	180	34	-	10	5
7.34.109	110	3" (F)	25	220	42	-	10	2
7.34.110	110	4" (F)	19	220	48	-	10	2




* = Kiwa certified acc. to
BRL -K17105



PE COMPRESSION

PE COUPLING

PE koppeling
PE Kupplung
Union PE
PE bocchettone
Enlace en PE



Reducing
Verlopend
Reduzierent
Réduisant
Ridotto
Reducida


* = Kiwa certified acc. to
BRL-K17105



ART.CODE	d1	d2	Z	B	C	S	PN	QUANTITY
7.36.020*	20	16	3	47	42	24	16	100
7.36.024*	25	16	3	51	42	24	16	100
7.36.025*	25	20	3	51	47	33	16	100
7.36.032*	32	25	3	57	51	42	16	50
7.36.040*	40	32	5	62	57	51	16	50
7.36.048*	50	25	2	98	58	-	16	16
7.36.049*	50	32	2	98	64	-	16	16
7.36.050*	50	40	6	98	72	-	16	16
7.36.061*	63	32	6	110	64	-	16	8
7.36.062*	63	40	6	110	72	-	16	8
7.36.063*	63	50	6	110	89	-	16	8
7.36.072*	75	32	2	124	69	-	10	6
7.36.073*	75	40	2	124	75	-	10	6
7.36.074*	75	50	6	124	89	-	10	6
7.36.075*	75	63	2	124	98	-	10	6

PE END PART

PE eindset
PE Endverschluss
Bouchon fin de ligne PE
PE tappo finale
Tapon terminal en PE




PVC-U

ART.CODE	d1	d2	Z	B	C	S	PN	QUANTITY
7.33.016	16	1/2"	4	42	17	24	10	250
7.33.020	20	3/4"	4	47	18	27	10	250
7.33.025	25	3/4"	4	51	17	33	10	175
7.33.032	32	1"	5	57	21	42	10	125
7.33.040	40	1 1/4"	6	62	23	51	10	100
7.33.050	50	1 1/2"	12	98	26	-	10	24
7.33.063	63	2"	11	110	25	-	10	18
7.33.075	75	2 1/2"	8	124	34	-	10	13
7.33.090	90	3"	13	180	37	-	10	5
7.33.110	110	4"	8	220	40	-	6	2

PE COMPRESSION

PVC/PE ELBOW


PVC/PE knie
PVC/PE Winkel
Coude PVC/PE
PVC/PE curva
Codo en PVC/PE



ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
7.21.015	16	25	14	36	42	19	10	200
7.21.016	16	32	14	34	42	22	10	200
7.21.019	20	25	14	36	47	19	10	200
7.21.020	20	32	14	34	47	22	10	200
7.21.024	25	25	14	36	51	19	10	150
7.21.025	25	32	14	34	51	22	10	200

PVC/PE COUPLING


PVC/PE koppeling
PVC/PE Kupplung
Union PVC/PE
PVC/PE bocchettone
Enlace en PVC/PE



ART.CODE	d1	d2	d3	Z	B	C	D	PN	QUANTITY
7.31.016	16	25	32	13	42	19	22	10	200
7.31.020	20	25	32	13	47	19	22	10	200
7.31.025	25	25	32	11	51	19	22	10	200
7.31.032	32	32	40	14	57	22	26	10	150
7.31.040	40	40	50	15	62	26	31	10	100

PVC/PE TEE

PVC/PE T-Stuk - Type A
PVC/PE T-Stück - Typ A
Te PVC/PE - Type A
PVC/PE ti - Tipo A
Te en PVC/PE - Tipo A




ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
7.11.016	16	32	20	20	42	22	10	125
7.11.020	20	32	19	20	47	22	10	150
7.11.025	25	32	19	20	51	22	10	120

PE COMPRESSION

PVC/PE TEE


PVC/PE T-Stuk
 PVC/PE T-Stück
 Te PVC/PE
 PVC/PE ti
 Te en PVC/PE



ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
7.11.049	50	16	14	27	31	42	10	100
7.11.050	50	20	14	27	31	47	10	100
7.11.055	50	25	14	27	31	51	10	100
7.11.059	63	16	15	38	38	42	10	50
7.11.060	63	20	15	41	38	47	10	50
7.11.065	63	25	15	43	38	51	10	50
7.11.066	63	32	15	46	38	57	10	50
7.11.069	75	16	15	46	44	42	10	30
7.11.070	75	20	15	49	44	47	10	30
7.11.075	75	25	15	51	44	51	10	30
7.11.076	75	32	15	53.5	44	57	10	25
7.11.079	90	16	16	56	51	42	10	17
7.11.080	90	20	16	59	51	47	10	17
7.11.085	90	25	16	61	51	51	10	17
7.11.086	90	32	16	62	51	57	10	17

O-RING (PARTS)

O-ring
 O-ring
 Joint torique
 O-ring
 Junta torica



* = Kiwa certified acc. to
 BRL-K171504




ART.CODE	d	S	QUANTITY
8.06.716*	16.00	3.50	50
8.06.020*	20.22	3.53	50
8.06.725*	25.99	3.53	50
8.06.732*	32.00	3.50	50
8.06.740*	40.00	4.00	50
8.06.750*	50.00	5.5	10
8.06.763*	63.00	6.0	10
8.06.775*	75.00	6.0	10
8.06.790*	90.00	8.0	10

PE COMPRESSION

PE UNION NUT (PARTS)

PE wartelmoer
PE Überwurfmutter
Écrou de raccord PE
PE ghiera a filetto
Tuerca enlace en PE




ART.CODE	d	B	QUANTITY
7.42.016	16	30	50
7.42.020	20	35	50
7.42.025	25	39	50
7.42.032	32	44	50
7.42.040	40	47	50
7.42.050	50	70	10
7.42.063	63	81	10
7.42.075	75	88	10
7.42.090	90	124	10
7.42.110	110	166	10



FIXING RING (PARTS)

Snijring
Klemmring
Bague de compression
Anello de fissaggio
Anillo de presión




ART.CODE	d	B	QUANTITY
7.44.016	16	9	50
7.44.020	20	12	50
7.44.025	25	12	50
7.44.032	32	16	50
7.44.040	40	16	50
7.44.050	50	30	10
7.44.063	63	32	10
7.44.075	75	38	10
7.44.090	90	61	10
7.44.110	110	61	10



INOX REINFORCEMENT RING (PARTS)

RVS Versterkingsring
Edelstahl Verstärkungsring
Bague de renforcement inoxydable
Anello di rinforzo INOX
Anillo de refuerzo en INOX

INOX




ART.CODE	d	B	QUANTITY
8.12.020	¾"	27.60	50
8.12.021	½"	31.22	50
8.12.026	¾"	38.22	50
8.12.033	1"	45.22	50
8.12.041	1¼"	55.23	50
8.12.050	1½"	61.75	50

PE FITTING CAP

PE fittingstop
PE Fitting Verschluß
Bouchon PE
PE tappo
Tapa terminal en PE

PP




ART.CODE	d	B	QUANTITY
7.38.016	16	33	250
7.38.020	20	41	250
7.38.025	25	41	250
7.38.032	32	47	125
7.38.040	40	51	75

PE TULLE

PE tule
PE Tülle
Tulle PE
PE tulle
Tul en PE

PP




ART.CODE	d1	d2	d3	Z	B	QUANTITY
7.47.016	15	13.5	11	5	34	250
7.47.020	19.5	17.5	14.5	7	44	250

PE COMPRESSION

PE CHAMFERING TOOL

PE Afbramer
PE Ansträgerät
PE Outil à ebarber
PE Utensili a obliquo
PE Achaflanador PE




Max. 300 RPM

ART.CODE	Dia	QUANTITY
7.49.010	16-63	10



PE TEE (PVC)

PE T-Stuk (PVC)
PE T-Stück (PVC)
Te PE (PVC)
PE ti (PVC)
Te en PE (PVC)




ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
4.16.027	40	32	14	24	27	56	10	150
4.16.030	50	32	14	28	31	56	10	100
4.16.032	63	32	15	39	38	71	10	50
4.16.040	75	32	15	45	44	71	10	30
4.16.045	90	32	15	54	52	71	10	17



PE TEE (PVC)

PE T-Stuk (PVC)
PE T-Stück (PVC)
Te PE (PVC)
PE ti (PVC)
Te en PE (PVC)




ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
4.16.035	50	32	14	28	31	22	10	120



BALL-VALVE FOR SUBSTRATE


Kogelkraan voor substraat
Kugelhahn für Nährbodenanlagen
Vanne à boisseau pour substrat
Vavula a sfera per cultura substrato
Válvula de bola para subtrato



ART.CODE	d1	d2	d3	d4	Z1	Z2	B	C	D	DN	PN	QUANTITY
6.00.016	25	32	16	20	71	57	19	22	42	20	10	50
6.00.020	25	32	20	20	69	57	19	22	47	20	10	50
6.00.025	25	32	25	20	66	57	19	22	51	20	10	50
6.00.032	32	40	32	25	76	65	23	27	57	25	10	25

PE CAP


PE eindkap
PE Kappe
Bouchon PE
PE tappo
Tapa en PE



ART.CODE	d1	d2	B	C	QUANTITY
4.10.016	10	16	17	20	500
4.10.020	12	20	18	21	500
4.10.025	17	25	21	24	250

PE NON RETURN VALVE

PE terugslagklep
PE Rücklaufventil
Soupape antiretour PE
Valvola di non ritorno in PE
Válvula anti retorno en PE



ART.CODE	d1	d2	B	Z	QUANTITY
4.22.016	14.5	13	28	50	200
4.22.020	18.5	17	28	50	200
4.22.025	23	21	28	50	200